

# Worksheet 1

## STORM WATER WORKSHEET

Project: \_\_\_\_\_ Date: \_\_\_\_\_

New Development \_\_\_\_\_ Redevelopment \_\_\_\_\_ By: \_\_\_\_\_

Watershed: \_\_\_\_\_ Drainage District: \_\_\_\_\_

Site Discharge Location: \_\_\_\_\_

Storm Water Management Strategy: \_\_\_\_\_

Adequate Outlet Description: \_\_\_\_\_

Standard	Criteria
<b>Stream Protection</b>	<p><input type="checkbox"/> <b>Retention of the entire 2-year volume increase.</b> <i>check, unless one of the following is allowed:</i></p> <p><input type="checkbox"/> Extended detention of 1-year runoff volume due to site constraints.</p> <p><input type="checkbox"/> Not required.</p>
<b>Flood Control</b>	<p><input type="checkbox"/> <b>Retention or detention of the 25-year runoff volume with a maximum release rate of 0.13 cfs/acre.</b> <i>check, unless one of the following is allowed:</i></p> <p><input type="checkbox"/> 25-year storage volume with 25-year pre-development maximum release rate (when entire 2-year volume increase is retained onsite).</p> <p><input type="checkbox"/> Not required to be provided onsite.</p>
<b>Water Quality</b>	<p><input type="checkbox"/> <b>Treat “first flush.”</b> <i>check, unless the following is allowed:</i></p> <p><input type="checkbox"/> Provided in an offsite regional facility.</p>
<b>Pre-Treatment</b>	<p><input type="checkbox"/> <b>Required.</b> <i>check if using any of the following:</i> detention and retention basins, infiltration and filtering practices including bioretention/rain gardens and water quality swales.</p> <p><input type="checkbox"/> Not required.</p>
<b>Storm Water Hot Spot:</b>	<p><input type="checkbox"/> <b>Yes. Spill Containment</b> for _____ <i>describe activity (i.e. gas station)</i></p> <p><input type="checkbox"/> No.</p>
<b>Cold-water Stream:</b>	<p><input type="checkbox"/> <b>Yes. Add'l strategies needed.</b> <i>list no.s used:</i> _____</p> <p><input type="checkbox"/> No.</p>